

Mouse MUC6 (Mucin 6 / Gastric Mucin) Monoclonal Antibody | anti-MUC6 antibody

MUC6 (Mucin 6 / Gastric Mucin) Mouse Monoclonal Antibody

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA62753	Mouse	Human. Does not react with Rat. Others-not known.	Immunohistochemistry, Western Blot, Immunofluorescence, Flow Cytometry, Functional Assay


PRODUCT SYNONYMS

MUC6 (Mucin 6 / Gastric Mucin); Monoclonal Antibody; MUC6 (Mucin 6 / Gastric Mucin) Mouse Monoclonal Antibody; Gastric mucin 6; MUC6; MUC6 mucin; Mucin 6 oligomeric mucus/gel forming; Mucin glycoprotein Fragment; Mucin-6; Secretory mucin MUC6; anti-MUC6 antibody


PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human. Does not react with Rat. Others-not known.
Clonality	Monoclonal
Isotype	IgG1, kappa
Clone Number	MUC6/916
Specificity	The MUC6 gastric mucin is a secreted glycoprotein that plays an essential role in epithelial cyto-protection from acid, proteases, pathogenic microorganisms, and mechanical trauma in the gastrointestinal tract. Mucin 6 expression is highest in the stomach and gall bladder, with lower expression in the terminal ileum and right colon. In gastric cancer, Mucin 6 has an altered expression. In normal stomach, Mucin 6 is associated with Lewis type 2; Mucin 6 is also expressed in gastric metaplasia, duodenum and pancreas. Mucin 6 is a secretory mucin, located in the deeper mucosal folds of human gall bladder, and its expression is altered with increasing degrees of inflammation.
Form/Format	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0mg/ml.
Sequence Length	2439
Applicable Applications for anti-MUC6 antibody	IHC (Immunohistochemistry), WB (Western Blot), IF (Immunofluorescence), FCM/FACS (Flow Cytometry)
Cellular Localization	Cytoplasmic & Secreted
Immunogen	Recombinant fragment covering tandem repeats of human MUC6 protein (exact sequence is proprietary).
Hu-Chromosome Location	11p15.5
Positive Control	Stomach
Preparation and Storage	Antibody with azide - store at 2 to 8 degree C. Antibody is stable for 24 months. Non-hazardous. No MSDS required.

IMAGES



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human Gastric Carcinoma stained with MUC6 Monoclonal Antibody (MUC6/916).



IHC (Immunohistochemistry)
Formalin-fixed, paraffin-embedded human Gastric Carcinoma stained with MUC6 Monoclonal Antibody (MUC6/916).

ADDITIONAL INFORMATION

References	Bartman A E, Buisine M P, Aubert J P, et al.. The MUC6 secretory mucin gene is expressed in a wide variety of epithelial tissues. J. Pathol. 186(4):398-405 (1998).
------------	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	151301154
NCBI GeneID	4588
NCBI Accession #	NP_005952.2
NCBI GenBank Nucleotide #	NM_005961.2
UniProt Accession #	Q6W4X9; O15329; Q14394; Q2TUQ5; Q4L207; Q8N8I1; Q8NAK1
Molecular Weight	252kDa
NCBI Official Full Name	mucin-6
NCBI Official Synonym Full Names	mucin 6, oligomeric mucus/gel-forming
NCBI Official Symbol	MUC6
NCBI Official Synonym Symbols	MUC-6
NCBI Protein Information	mucin-6
UniProt Protein Name	Mucin-6
UniProt Gene Name	MUC6
UniProt Synonym Gene Names	MUC-6
UniProt Entry Name	MUC6_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/muc6-mucin-6-gastric-mucin-antibody-clone-muc6-916-immunohistochemistry-western-blot-immunofluorescence-flow-cytometry-elisa/62753>