

anti-Goat IgG+FITC Secondary Antibody | IgG+FITC secondary antibody

anti-Goat IgG+FITC

CATALOG # AAA63023	HOST Rabbit	REACTIVITY Goat	APPLICATIONS Immunocytochemistry
------------------------------	-----------------------	---------------------------	--

PRODUCT SYNONYMS

anti-Goat IgG+FITC; IgG+FITC secondary antibody

PRODUCT SPECIFICATIONS

Host	Rabbit
Reactivity	Goat
Specificity	MBS5440132 affinity purified antibodies react with all rabbit immunoglobulins by ELISA, immunodiffusion and IEP techniques
Form/Format	Each vial contains 200 µg in 0.2 ml of affinity purified anti-Goat IgG, in PBS, pH 7.2 with 0.2% BSA and 0.1% sodium azide.
Concentration	0.200 mg/0.2 ml (varies by lot)
Applicable Applications for IgG+FITC secondary antibody	ICC (Immunocytochemistry)
Origin	Rabbits were immunized with highly purified Goat IgG. Antibodies were affinity purified and conjugated with fluorescein isothiocyanate (FITC).
Preparation and Storage	Store this product at 4°C, do not freeze. The product is stable for one year from the date of shipment.

ADDITIONAL INFORMATION

Related Product Information for IgG+FITC secondary antibody	FITC conjugated affinity purified Rabbit anti-Goat IgG h+l.
---	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/rabbit-goat-secondary-antibody/anti-goat-iggfitc/63023>