

Goat myc Polyclonal Antibody

anti-myc

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA63092	Goat	c-Myc-tagged recombinant fusion proteins	Western Blot


PRODUCT SYNONYMS

myc; Polyclonal Antibody; anti-myc; EQKLISEEDL and MYC antibody; anti-myc antibody

PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	c-Myc-tagged recombinant fusion proteins
Clonality	Polyclonal
Isotype	IgG
Specificity	This antibody recognizes recombinant proteins containing EQKLISEEDL epitope tag fused to either amino- or carboxy-terminal of targeted proteins in transfected cells.
Purity/Purification	Epitope Affinity Purified
Form/Format	Polyclonal antibody supplied as a 200 ul (3 mg/ml) aliquot in PBS, 20% glycerol and 0.05% sodium azide. This antibody is epitope-affinity purified from goat antiserum.
Applicable Applications for anti-myc antibody	WB (Western Blot)
Handling	The antibody solution should be gently mixed before use.
Conjugation	Unconjugated
Immunogen	Purified recombinant peptide EQKLISEEDL corresponding to amino acids 410-419 of Human c-Myc produced in E. coli
Preparation and Storage	Store at -20°C for long-term storage. Store at 2-8°C for up to one month. Avoid repeated freeze/thaw cycles

IMAGES



Reactivity chart				
Sample	Western Blot	Immuno-fluorescence	Immuno-Histochemistry (p)	Immuno-Histochemistry (f)
transfected cells	+++	ND	ND	ND

Application Data

WB (Western Blot)

Anti-myc tag Ab at 1:1000 dilution; 293 cells transfected with myc-mCherry (red fluorescent protein); rabbit polyclonal to goat (HRP) at 1:10000 dilution.

ADDITIONAL INFORMATION

Related Product Information for anti-myc antibody	Goat polyclonal antibody to myc epitope tag. c-Myc epitope tag is useful for the labelling and detection of proteins by immunoprecipitation, immunostaining and immunoblotting techniques. Because of its small size, it is unlikely to affect the tagged protein's biochemical properties.
---	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/myc-antibody-western-blot-elisa/63092>