

Goat Nucleolin Polyclonal Antibody

Nucleolin Polyclonal Antibody

CATALOG # AAA63145	HOST Goat	REACTIVITY Human, rat, mouse, canine, monkey	APPLICATIONS Western Blot
------------------------------	---------------------	--	-------------------------------------

PRODUCT SYNONYMS

Nucleolin; Polyclonal Antibody; Nucleolin Polyclonal Antibody; B530004O11Rik; C23; D0Nds28; D1Nds28; Nucl antibody; anti-Nucleolin antibody


PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Human, rat, mouse, canine, monkey
Clonality	Polyclonal
Specificity	Detects endogenous levels of NCL by Western blot
Purity/Purification	This antibody is epitope-affinity purified from goat antiserum.
Form/Format	Polyclonal antibody supplied as a 100 µl (1 mg/ml) aliquot in PBS, 20% glycerol and 0.05% sodium azide.
Applicable Applications for anti-Nucleolin antibody	WB (Western Blot)
Immunogen	Recombinant peptide derived from within residues 500 aa to the C-terminus of human NCL produced in E. coli.
Note	The antibody solution should be gently mixed before use.
Preparation and Storage	For continuous use, store at 2-8°C for one-two days. For extended storage, store in -20°C freezer. Working dilution samples should be discarded if not used within 12 hours.

IMAGES

Reactivity Chart					
Sample	WB	IHC (F)	IHC (P)	IF	ELISA
Human	+++	ND	ND	ND	ND
Rat	+++	ND	ND	ND	ND
Mouse	+++	ND	ND	ND	ND
Canine	+++	ND	ND	ND	ND
Monkey	+++	ND	ND	ND	ND

Reactivity Chart



WB (Western Blot)

ADDITIONAL INFORMATION

Related Product Information for anti-Nucleolin antibody	Goat polyclonal antibody to Nucleolin. NCL is a eukaryotic nucleolar phosphoprotein involved in the synthesis and maturation of ribosomes. It is found associated with pre-ribosomal particles and intranucleolar chromatin. May play a role in the process of transcriptional elongation and chromatin decondensation by binding to histone H1.
---	--

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/nucleolin-antibody-western-blot-elisa/63145>