

Human Resistin Like Beta (RETNLb) ELISA Kit | RETNLb elisa kit

Human Resistin Like Beta (RETNLb) ELISA Kit

CATALOG #
AAA63334

REACTIVITY
Human


PRODUCT SYNONYMS

Resistin Like Beta (RETNLb); Human Resistin Like Beta (RETNLb) ELISA Kit; XCP2; FIZZ2; HXCP2; CCRG; RETNL2; RELMb; Foundin In Flammatory Zone 2; Colon and small intestine-specific cysteine-rich protein; Colon carcinoma-related gene protein; RETNLb elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of RETNLb. No significant cross-reactivity or interference between RETNLb and analogues was observed.
Sequence Length	111
Samples	Serum, plasma and other biological fluids.
Assay Type	Sandwich
Detection Range	62.5-4000pg/mL
Sensitivity	22.5pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level RETNLb were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level RETNLb were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for RETNLb elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of RETNLb in human serum, plasma and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to RETNLb. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to RETNLb. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain RETNLb, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of RETNLb in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	14211897
NCBI GeneID	84666
NCBI Accession #	NP_115968.1
NCBI GenBank Nucleotide #	NM_032579.2
UniProt Accession #	Q9BQ08; Q14D27
Molecular Weight	11,730 Da
NCBI Official Full Name	resistin-like beta
NCBI Official Synonym Full Names	resistin like beta
NCBI Official Symbol	RETNLB
NCBI Official Synonym Symbols	XCP2; FIZZ1; FIZZ2; HXCP2; RELMb; RELMbeta; RELM-beta
NCBI Protein Information	resistin-like beta
UniProt Protein Name	Resistin-like beta
UniProt Gene Name	RETNLB
UniProt Synonym Gene Names	CCRG; FIZZ2; HXCP2; RETNL2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.