

Rat Apolipoprotein F (APOF) ELISA Kit | APOF elisa kit

Rat Apolipoprotein F (APOF) ELISA Kit

CATALOG #
AAA63549

REACTIVITY
Rat


PRODUCT SYNONYMS

Apolipoprotein F (APOF); Rat Apolipoprotein F (APOF) ELISA Kit; Apo-F; LTIP; Lipid transfer inhibitor protein; APOF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of APOF. No significant cross-reactivity or interference between APOF and analogues was observed.
Sequence Length	308
Samples	Serum, plasma and other biological fluids.
Assay Type	Sandwich
Detection Range	1.56-100ng/mL
Sensitivity	0.54ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level APOF were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level APOF were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for APOF elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of APOF in rat serum, plasma and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to APOF. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to APOF. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain APOF, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of APOF in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	66730497
NCBI GeneID	500761
NCBI Accession #	NP_001019522.1
NCBI GenBank Nucleotide #	NM_001024351.1
UniProt Accession #	Q5M889; Q7TP25
Molecular Weight	33,842 Da
NCBI Official Full Name	apolipoprotein F
NCBI Official Synonym Full Names	apolipoprotein F
NCBI Official Symbol	ApoF
NCBI Protein Information	apolipoprotein F
UniProt Protein Name	Apolipoprotein F
UniProt Gene Name	ApoF
UniProt Synonym Gene Names	Apo-F

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rat-elisa-kits/apolipoprotein-f-apof/63549>