

Mouse Left/Right Determination Factor 1 (LEFTY1) ELISA Kit | LEFTY1 elisa kit

Mouse Left/Right Determination Factor 1 (LEFTY1) ELISA Kit

CATALOG #
AAA63915

REACTIVITY
Mouse


PRODUCT SYNONYMS

Left/Right Determination Factor 1 (LEFTY1); Mouse Left/Right Determination Factor 1 (LEFTY1) ELISA Kit; LEFTY-B; LEFTYB; LEFT-B; LEFTB; Left Right Determination Factor B; LEFTY1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of LEFTY1. No significant cross-reactivity or interference between LEFTY1 and analogues was observed.
Sequence Length	368
Samples	Serum, plasma, tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	125-8000pg/mL
Sensitivity	43pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level LEFTY1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level LEFTY1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LEFTY1 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of LEFTY1 in mouse serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to LEFTY1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to LEFTY1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LEFTY1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of LEFTY1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	6753702
NCBI GeneID	13590
NCBI Accession #	NP_034224.1
NCBI GenBank Nucleotide #	NM_010094.4
UniProt Accession #	Q64280; Q3V2A9
Molecular Weight	41,498 Da
NCBI Official Full Name	left-right determination factor 1 preproprotein
NCBI Official Synonym Full Names	left right determination factor 1
NCBI Official Symbol	Lefty1
NCBI Official Synonym Symbols	Ebaf; Leftb; Stra3; Tgfb4; lefty; lefty-1; AI450052
NCBI Protein Information	left-right determination factor 1
UniProt Protein Name	Left-right determination factor 1
UniProt Gene Name	Lefty1
UniProt Synonym Gene Names	Ebaf; Lefty; Stra3; Tgfb4; Lefty protein; TGF-beta-4

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/left-right-determination-factor-1-lefty1/63915>