

Canine Tumor Necrosis Factor Beta (TNFb) ELISA Kit | TNFb elisa kit

Canine Tumor Necrosis Factor Beta (TNFb) ELISA Kit

CATALOG #
AAA64006

REACTIVITY
Canine


PRODUCT SYNONYMS

Tumor Necrosis Factor Beta (TNFb); Canine Tumor Necrosis Factor Beta (TNFb) ELISA Kit; LT LTA TNF-B TNFSF1 Tumor Necrosis Factor Ligand Superfamily Member 1 Lymphotoxin Alpha; TNFb elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Canine
Specificity	This assay has high sensitivity and excellent specificity for detection of TNFb. No significant cross-reactivity or interference between TNFb and analogues was observed.
Sequence Length	204
Samples	Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids.
Assay Type	Sandwich
Detection Range	15.625-1000ng/mL
Sensitivity	3.6ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TNFb were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TNFb were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TNFb elisa kit	Intended Uses: This kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of TNFb in canine serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TNFb. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TNFb. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TNFb, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of TNFb in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	925114535
NCBI GeneID	607183
NCBI Accession #	NP_001300778.1
NCBI GenBank Nucleotide #	NM_001313849.1
UniProt Accession #	Q5WR07
Molecular Weight	22,033 Da
NCBI Official Full Name	lymphotoxin-alpha
NCBI Official Symbol	LTA
NCBI Official Synonym Symbols	TNFB; TNFSF1; LT-alpha; TNF-beta
NCBI Protein Information	lymphotoxin-alpha
UniProt Protein Name	Lymphotoxin-alpha
UniProt Gene Name	LTA
UniProt Synonym Gene Names	TNFB; TNFSF1; LT-alpha

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/canine-elisa-kits/tumor-necrosis-factor-beta-tnfb/64006>