

Horse Transforming Growth Factor Beta 1 (TGFb1) ELISA Kit | TGFb1 elisa kit

Horse Transforming Growth Factor Beta 1 (TGFb1) ELISA Kit

CATALOG #
AAA64151

REACTIVITY
Horse


PRODUCT SYNONYMS

Transforming Growth Factor Beta 1 (TGFb1); Horse Transforming Growth Factor Beta 1 (TGFb1) ELISA Kit; TGF-B1; CED; DPD1; LAP; Camurati-Engelmann Disease; Latency-associated peptide; TGFb1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Horse
Specificity	This assay has high sensitivity and excellent specificity for detection of TGFb1. No significant cross-reactivity or interference between TGFb1 and analogues was observed.
Sequence Length	390
Assay Type	Quantitative Sandwich
Samples	Equine serum, platelet-poor plasma, tissue homogenates, cell culture supernates or other biological fluids
Detection Range	15.6-1000pg/mL
Sensitivity	< 6.3pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TGFb1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TGFb1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TGFb1 elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TGFb1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TGFb1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TGFb1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of TGFb1 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of TGFb1 in equine serum, platelet-poor plasma, tissue homogenates, cell culture supernates or other biological fluids.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	126352651
NCBI GeneID	100033900
NCBI Accession #	NP_001075318.1
NCBI GenBank Nucleotide #	NM_001081849.1
UniProt Accession #	O19011; Q9TUM8
Molecular Weight	43,975 Da
NCBI Official Full Name	transforming growth factor beta-1
NCBI Official Symbol	TGFB1
NCBI Protein Information	transforming growth factor beta-1
UniProt Protein Name	Transforming growth factor beta-1
UniProt Gene Name	TGFB1
UniProt Synonym Gene Names	TGF-beta-1; LAP

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.