

Rabbit Nitric Oxide Synthase 2, Inducible (NOS2) ELISA Kit | NOS2 elisa kit

Rabbit Nitric Oxide Synthase 2, Inducible (NOS2) ELISA Kit

CATALOG #
AAA64163

REACTIVITY
Rabbit


PRODUCT SYNONYMS

Nitric Oxide Synthase 2; Inducible (NOS2); Rabbit Nitric Oxide Synthase 2; Inducible (NOS2) ELISA Kit; NOS2A INOS HEP-NOS I-NOS Hepatocytes Oxide Synthase Peptidyl-cysteine S-nitrosylase NOS2; NOS2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rabbit
Specificity	This assay has high sensitivity and excellent specificity for detection of NOS2. No significant cross-reactivity or interference between NOS2 and analogues was observed.
Sequence Length	496
Samples	Tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	1.56-100ng/mL
Sensitivity	0.54ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level NOS2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level NOS2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for NOS2 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of NOS2 in rabbit tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to NOS2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to NOS2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain NOS2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of NOS2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	8473491
NCBI GeneID	100008833
UniProt Accession #	O19114
Molecular Weight	56,397 Da
NCBI Official Full Name	Nitric oxide synthase, inducible
NCBI Official Symbol	NOS2
NCBI Official Synonym Symbols	NOS2A
NCBI Protein Information	nitric oxide synthase 2; Nitric oxide synthase, inducible; inducible nitric oxide synthase NOS2; nitric oxide synthase 2A (inducible, hepatocytes)
UniProt Protein Name	Nitric oxide synthase, inducible
UniProt Gene Name	NOS2
UniProt Synonym Gene Names	Inducible NOS; iNOS

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.