

Human Carboxypeptidase E (CPE) ELISA Kit | CPE elisa kit

Human Carboxypeptidase E (CPE) ELISA Kit

CATALOG #
AAA64226

REACTIVITY
Human


PRODUCT SYNONYMS

Carboxypeptidase E (CPE); Human Carboxypeptidase E (CPE) ELISA Kit; CPH; Enkephalin Convertase; Carboxypeptidase H; Prohormone-processing carboxypeptidase; CPE elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of CPE. No significant cross-reactivity or interference between CPE and analogues was observed.
Sequence Length	476
Samples	Tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.625-40ng/mL
Sensitivity	0.221ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level CPE were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level CPE were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CPE elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of CPE in human tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CPE. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CPE. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CPE, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of CPE in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503009
NCBI GeneID	1363
NCBI Accession #	NP_001864.1
NCBI GenBank Nucleotide #	NM_001873.3
UniProt Accession #	P16870; Q9UIU9; A8K4N1; B3KR42; B4DFN4; D3DP33
Molecular Weight	49,886 Da
NCBI Official Full Name	carboxypeptidase E preproprotein
NCBI Official Synonym Full Names	carboxypeptidase E
NCBI Official Symbol	CPE
NCBI Official Synonym Symbols	CPH
NCBI Protein Information	carboxypeptidase E
UniProt Protein Name	Carboxypeptidase E
UniProt Gene Name	CPE
UniProt Synonym Gene Names	CPE; CPH

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.