

Human 17-Beta-Hydroxysteroid Dehydrogenase Type 14 (HSD17b14) ELISA Kit | HSD17b14 elisa kit

Human 17-Beta-Hydroxysteroid Dehydrogenase Type 14 (HSD17b14) ELISA Kit

CATALOG #
AAA64242

REACTIVITY
Human


PRODUCT SYNONYMS

17-Beta-Hydroxysteroid Dehydrogenase Type 14 (HSD17b14); Human 17-Beta-Hydroxysteroid Dehydrogenase Type 14 (HSD17b14) ELISA Kit; DHRS10; RetSDR3; SDR47C1; Retinal Short-Chain Dehydrogenase/Reductase 3; Short Chain Dehydrogenase/Reductase Family 47C; Member 1; HSD17b14 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of HSD17B14. No significant cross-reactivity or interference between HSD17B14 and analogues was observed.
Sequence Length	270
Samples	Tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	0.048ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level HSD17B14 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level HSD17B14 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for HSD17b14 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of HSD17B14 in human tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to HSD17B14. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to HSD17B14. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain HSD17B14, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of HSD17B14 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	59889578
NCBI GeneID	51171
NCBI Accession #	NP_057330.2
NCBI GenBank Nucleotide #	NM_016246.2
UniProt Accession #	Q9BPX1; Q9UKU3
Molecular Weight	28,317 Da
NCBI Official Full Name	17-beta-hydroxysteroid dehydrogenase 14
NCBI Official Synonym Full Names	hydroxysteroid 17-beta dehydrogenase 14
NCBI Official Symbol	HSD17B14
NCBI Official Synonym Symbols	DHRS10; SDR47C1; retSDR3
NCBI Protein Information	17-beta-hydroxysteroid dehydrogenase 14
UniProt Protein Name	17-beta-hydroxysteroid dehydrogenase 14
UniProt Gene Name	HSD17B14
UniProt Synonym Gene Names	DHRS10; SDR3; SDR47C1; 17-beta-HSD 14

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/17-beta-hydroxysteroid-dehydrogenase-type-14-hsd17b14/64242>