

Human Cytochrome P450 Reductase (CPR) ELISA Kit | CPR elisa kit

Human Cytochrome P450 Reductase (CPR) ELISA Kit

CATALOG #
AAA64260

REACTIVITY
Human


PRODUCT SYNONYMS

Cytochrome P450 Reductase (CPR); Human Cytochrome P450 Reductase (CPR) ELISA Kit; POR; CYPOR; P450R; P450(Cytochrome)Oxidoreductase; NADPH--cytochrome P450 reductase; CPR elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of CPR. No significant cross-reactivity or interference between CPR and analogues was observed.
Sequence Length	680
Samples	Tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	0.060ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level CPR were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level CPR were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CPR elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of CPR in human tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CPR. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CPR. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CPR, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of CPR in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	127139033
NCBI GeneID	5447
NCBI Accession #	NP_000932.3
NCBI GenBank Nucleotide #	NM_000941.2
UniProt Accession #	P16435; Q16455; Q197M5; Q8N181; Q9H3M8; Q9UDT3
Molecular Weight	76,690 Da
NCBI Official Full Name	NADPH--cytochrome P450 reductase
NCBI Official Synonym Full Names	cytochrome p450 oxidoreductase
NCBI Official Symbol	POR
NCBI Official Synonym Symbols	CPR; CYPOR; P450R
NCBI Protein Information	NADPH--cytochrome P450 reductase
UniProt Protein Name	NADPH--cytochrome P450 reductase
UniProt Gene Name	POR
UniProt Synonym Gene Names	CPR; P450R

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/cytochrome-p450-reductase-cpr/64260>