

Human Interleukin 7 Receptor (IL7R) ELISA Kit | IL7R elisa kit

Human Interleukin 7 Receptor (IL7R) ELISA Kit

CATALOG #
AAA64597

REACTIVITY
Human


PRODUCT SYNONYMS

Interleukin 7 Receptor (IL7R); Human Interleukin 7 Receptor (IL7R) ELISA Kit; CDW127 CD127 IL-7R-Alpha; IL7R elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of IL7R. No significant cross-reactivity or interference between IL7R and analogues was observed.
Sequence Length	459
Samples	Serum, plasma or other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	1.56-100ng/mL
Sensitivity	< 0.64ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level IL7R were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level IL7R were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for IL7R elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of IL7R in human serum, plasma or other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to IL7R. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to IL7R. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain IL7R, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of IL7R in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	28610151
NCBI GeneID	3575
NCBI Accession #	NP_002176.2
NCBI GenBank Nucleotide #	NM_002185.3
UniProt Accession #	P16871; Q05CU8; Q6NSP4; Q6NWM0; Q6NWM1; Q6NWM2; Q6NWM3; Q6SV45; Q9UPC1; B2RCS6; B4DVT1
Molecular Weight	28,724 Da
NCBI Official Full Name	interleukin-7 receptor subunit alpha
NCBI Official Synonym Full Names	interleukin 7 receptor
NCBI Official Symbol	IL7R
NCBI Official Synonym Symbols	ILRA; CD127; IL7RA; CDW127; IL-7R-alpha
NCBI Protein Information	interleukin-7 receptor subunit alpha
UniProt Protein Name	Interleukin-7 receptor subunit alpha
UniProt Gene Name	IL7R
UniProt Synonym Gene Names	IL-7 receptor subunit alpha; IL-7R subunit alpha; IL-7R-alpha; IL-7RA

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.