

Human Cleavage And Polyadenylation Specific Factor 1 (CPSF1) ELISA Kit | CPSF1 elisa kit

Human Cleavage And Polyadenylation Specific Factor 1 (CPSF1) ELISA Kit

CATALOG # AAA64885	REACTIVITY Human
------------------------------	----------------------------


PRODUCT SYNONYMS

Cleavage And Polyadenylation Specific Factor 1 (CPSF1); Human Cleavage And Polyadenylation Specific Factor 1 (CPSF1) ELISA Kit; CPSF160; Cleavage and polyadenylation specificity factor 160 kDa subunit; CPSF1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of CPSF1. No significant cross-reactivity or interference between CPSF1 and analogues was observed.
Sequence Length	1443
Samples	Tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.129ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level CPSF1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level CPSF1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CPSF1 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of CPSF1 in human tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CPSF1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CPSF1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CPSF1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of CPSF1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	56676371
NCBI GeneID	29894
NCBI Accession #	NP_037423.2
NCBI GenBank Nucleotide #	NM_013291.2
UniProt Accession #	Q10570; Q96AF0
Molecular Weight	160,884 Da
NCBI Official Full Name	cleavage and polyadenylation specificity factor subunit 1
NCBI Official Synonym Full Names	cleavage and polyadenylation specific factor 1
NCBI Official Symbol	CPSF1
NCBI Official Synonym Symbols	CPSF160; P/cl.18; HSU37012
NCBI Protein Information	cleavage and polyadenylation specificity factor subunit 1
UniProt Protein Name	Cleavage and polyadenylation specificity factor subunit 1
UniProt Gene Name	CPSF1
UniProt Synonym Gene Names	CPSF160; CPSF 160 kDa subunit

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.