

Human Caspase 8 (CASP8) ELISA Kit | CASP8 elisa kit

Human Caspase 8 (CASP8) ELISA Kit

CATALOG #
AAA65105

REACTIVITY
Human


PRODUCT SYNONYMS

Caspase 8 (CASP8); Human Caspase 8 (CASP8) ELISA Kit; PKC-E; PRKCE; PRKC-E; NPKC-Epsilon; CASP8 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of CASP8. No significant cross-reactivity or interference between CASP8 and analogues was observed.
Sequence Length	464
Assay Type	Quantitative Sandwich
Samples	Human tissue homogenates, cell lysates, cell culture supernates or other biological fluids
Detection Range	78.1-5000pg/mL
Sensitivity	< 35pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level CASP8 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level CASP8 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CASP8 elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CASP8. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CASP8. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CASP8, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of CASP8 in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of CASP8 in human tissue homogenates, cell lysates, cell culture supernates or other biological fluids.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	122056474
NCBI GeneID	841
NCBI Accession #	NP_001073593.1
NCBI GenBank Nucleotide #	NM_001080124.1
UniProt Accession #	Q14790; O14676; Q14791; Q14792; Q14793; Q14794; Q14795; Q14796; Q15780; Q15806; Q53TT5; Q8TDI1
Molecular Weight	61,836 Da
NCBI Official Full Name	caspase-8 isoform C
NCBI Official Synonym Full Names	caspase 8
NCBI Official Symbol	CASP8
NCBI Official Synonym Symbols	CAP4; MACH; MCH5; FLICE; ALPS2B; Casp-8
NCBI Protein Information	caspase-8
UniProt Protein Name	Caspase-8
UniProt Gene Name	CASP8
UniProt Synonym Gene Names	MCH5; CASP-8; FLICE; MACH

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.