

Mouse Transglutaminase 3, Epidermal (TGM3) ELISA Kit | TGM3 elisa kit

Mouse Transglutaminase 3, Epidermal (TGM3) ELISA Kit

CATALOG #
AAA65369

REACTIVITY
Mouse


PRODUCT SYNONYMS

Transglutaminase 3; Epidermal (TGM3); Mouse Transglutaminase 3; Epidermal (TGM3) ELISA Kit; TGE; Egt; Protein-Glutamine Gamma-Glutamyltransferase E; Transglutaminase E; TGM3 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of TGM3. No significant cross-reactivity or interference between TGM3 and analogues was observed.
Sequence Length	693
Samples	Serum, plasma, tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.625-40ng/mL
Sensitivity	0.255ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level TGM3 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level TGM3 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for TGM3 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of TGM3 in mouse serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to TGM3. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to TGM3. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain TGM3, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of TGM3 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	124001551
NCBI GeneID	21818
NCBI Accession #	NP_033400.2
NCBI GenBank Nucleotide #	NM_009374.3
UniProt Accession #	Q08189; A1L343; A2ANC3
Molecular Weight	77,309 Da
NCBI Official Full Name	protein-glutamine gamma-glutamyltransferase E
NCBI Official Synonym Full Names	transglutaminase 3, E polypeptide
NCBI Official Symbol	Tgm3
NCBI Official Synonym Symbols	we; TGE; TG E; TG(E); TGase E; TGase-3; A1893889
NCBI Protein Information	protein-glutamine gamma-glutamyltransferase E
UniProt Protein Name	Protein-glutamine gamma-glutamyltransferase E
UniProt Gene Name	Tgm3
UniProt Synonym Gene Names	Tgase3; TG(E); TGE; TGase E; TGase-3

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/transglutaminase-3-epidermal-tgm3/65369>