

Human Fibroblast Growth Factor 13 (FGF13) ELISA Kit | FGF13 elisa kit

Human Fibroblast Growth Factor 13 (FGF13) ELISA Kit

CATALOG #
AAA65439

REACTIVITY
Human


PRODUCT SYNONYMS

Fibroblast Growth Factor 13 (FGF13); Human Fibroblast Growth Factor 13 (FGF13) ELISA Kit; FHF2; Fibroblast Growth Factor Homologous Factor 2; FGF13 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of FGF13. No significant cross-reactivity or interference between FGF13 and analogues was observed.
Sequence Length	199
Samples	Serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids.
Assay Type	Sandwich
Detection Range	15.625-1000pg/mL
Sensitivity	5.4pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level FGF13 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level FGF13 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FGF13 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of FGF13 in human serum, plasma, tissue homogenates, cell lysates, cell culture supernates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to FGF13. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to FGF13. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain FGF13, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of FGF13 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	213417606
NCBI GeneID	2258
NCBI Accession #	NP_001132970.1
NCBI GenBank Nucleotide #	NM_001139498.1
UniProt Accession #	Q92913; O95830; Q9NZH9; Q9NZI0; B1AK18; B7Z4M7; B7Z8N0; D3DWH4
Molecular Weight	25,607 Da
NCBI Official Full Name	fibroblast growth factor 13 isoform 4
NCBI Official Synonym Full Names	fibroblast growth factor 13
NCBI Official Symbol	FGF13
NCBI Official Synonym Symbols	FGF2; FHF2; FHF-2; FGF-13
NCBI Protein Information	fibroblast growth factor 13
UniProt Protein Name	Fibroblast growth factor 13
UniProt Gene Name	FGF13
UniProt Synonym Gene Names	FHF2; FGF-13; FHF-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/fibroblast-growth-factor-13-fgf13/65439>