

Human Cat Eye Syndrome Chromosome Region, Candidate 1 (CECR1) ELISA Kit | CECR1 elisa kit

Human Cat Eye Syndrome Chromosome Region, Candidate 1 (CECR1) ELISA Kit

CATALOG # AAA65755	REACTIVITY Human
------------------------------	----------------------------


PRODUCT SYNONYMS

Cat Eye Syndrome Chromosome Region; Candidate 1 (CECR1); Human Cat Eye Syndrome Chromosome Region; Candidate 1 (CECR1) ELISA Kit; CECR1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of CECR1. No significant cross-reactivity or interference between CECR1 and analogues was observed.
Sequence Length	511
Samples	Serum, plasma and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.115ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level CECR1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level CECR1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CECR1 elisa kit	Intended Uses: This kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of CECR1 in human serum, plasma and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CECR1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CECR1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CECR1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of CECR1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	532691754
NCBI GeneID	51816
NCBI Accession #	NP_001269154.1
NCBI GenBank Nucleotide #	NM_001282225.1
UniProt Accession #	Q9NZK5; Q6ICF1; Q86UB6; Q8NCJ2; Q96K41; A8K9H4
Molecular Weight	30,668 Da
NCBI Official Full Name	adenosine deaminase CECR1 isoform a
NCBI Official Synonym Full Names	cat eye syndrome chromosome region, candidate 1
NCBI Official Symbol	CECR1
NCBI Official Synonym Symbols	PAN; ADA2; ADGF; IDGFL; SNEDS
NCBI Protein Information	adenosine deaminase CECR1
UniProt Protein Name	Adenosine deaminase CECR1
UniProt Gene Name	CECR1
UniProt Synonym Gene Names	ADA2; ADGF; IDGFL

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/cat-eye-syndrome-chromosome-region-candidate-1-cecr1/65755>