

Mouse Arginase (Arg) ELISA Kit | Arg elisa kit

Mouse Arginase (Arg) ELISA Kit

CATALOG #
AAA65763

REACTIVITY
Mouse


PRODUCT SYNONYMS

Arginase (Arg); Mouse Arginase (Arg) ELISA Kit; ARG1; Arginase I; Liver Arginase; Arg elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Arg. No significant cross-reactivity or interference between Arg and analogues was observed.
Sequence Length	323
Assay Type	Quantitative Sandwich
Samples	Mouse serum, plasma, tissue homogenates, cell lysates, cell culture supernates or other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.067ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Arg were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Arg were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Arg elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to Arg. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to Arg. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Arg, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of Arg in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of Arg in mouse serum, plasma, tissue homogenates, cell lysates, cell culture supernates or other biological fluids.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	7106255
NCBI GeneID	11846
NCBI Accession #	NP_031508.1
NCBI GenBank Nucleotide #	NM_007482.3
UniProt Accession #	Q61176; Q3TB74; Q3UEL0; Q4FK78; Q80VI4
Molecular Weight	34,808 Da
NCBI Official Full Name	arginase-1
NCBI Official Synonym Full Names	arginase, liver
NCBI Official Symbol	Arg1
NCBI Official Synonym Symbols	AI; PGIF; Arg-1; AI256583
NCBI Protein Information	arginase-1
UniProt Protein Name	Arginase-1
UniProt Gene Name	Arg1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.