

Human Sialic Acid Acetyltransferase (SIAE) ELISA Kit | SIAE elisa kit

Human Sialic Acid Acetyltransferase (SIAE) ELISA Kit

CATALOG #
AAA65789

REACTIVITY
Human


PRODUCT SYNONYMS

Sialic Acid Acetyltransferase (SIAE); Human Sialic Acid Acetyltransferase (SIAE) ELISA Kit; YSG2; CSE-C; LSE; Sialic Acid-Specific Acetyltransferase II; Sialic acid-specific 9-O-acetyltransferase; SIAE elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of SIAE. No significant cross-reactivity or interference between SIAE and analogues was observed.
Sequence Length	488
Samples	Tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	0.054ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level SIAE were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level SIAE were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for SIAE elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of SIAE in human tissue homogenates, cell lysates, and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to SIAE. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to SIAE. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain SIAE, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of SIAE in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	321267600
NCBI GeneID	54414
NCBI Accession #	NP_001186851.1
NCBI GenBank Nucleotide #	NM_001199922.1
UniProt Accession #	Q9HAT2; Q8IUT9; Q9HAU7; Q9NT71; B3KPB0
Molecular Weight	54,572 Da
NCBI Official Full Name	sialate O-acetylesterase isoform 2
NCBI Official Synonym Full Names	sialic acid acetylesterase
NCBI Official Symbol	SIAE
NCBI Official Synonym Symbols	LSE; AIS6; CSEC; YSG2; CSE-C
NCBI Protein Information	sialate O-acetylesterase
UniProt Protein Name	Sialate O-acetylesterase
UniProt Gene Name	SIAE
UniProt Synonym Gene Names	YSG2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.