

Mouse Leucine Rich Alpha-2-Glycoprotein 1 (LRG1) ELISA Kit | LRG1 elisa kit

Mouse Leucine Rich Alpha-2-Glycoprotein 1 (LRG1) ELISA Kit

CATALOG #
AAA65996

REACTIVITY
Mouse


PRODUCT SYNONYMS

Leucine Rich Alpha-2-Glycoprotein 1 (LRG1); Mouse Leucine Rich Alpha-2-Glycoprotein 1 (LRG1) ELISA Kit; LRG1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of LRG1. No significant cross-reactivity or interference between LRG1 and analogues was observed.
Sequence Length	342
Samples	Serum, plasma, tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	3.125-200ng/mL
Sensitivity	1.18ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level LRG1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level LRG1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LRG1 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of LRG1 in mouse serum, plasma, tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to LRG1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to LRG1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LRG1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of LRG1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	16418335
NCBI GeneID	76905
NCBI Accession #	NP_084072.1
NCBI GenBank Nucleotide #	NM_029796.2
UniProt Accession #	Q91XL1
Molecular Weight	37,431 Da
NCBI Official Full Name	leucine-rich alpha-2-glycoprotein
NCBI Official Synonym Full Names	leucine-rich alpha-2-glycoprotein 1
NCBI Official Symbol	Lrg1
NCBI Official Synonym Symbols	Lrg; Lrhg; 1300008B03Rik; 2310031E04Rik
NCBI Protein Information	leucine-rich alpha-2-glycoprotein
UniProt Protein Name	Leucine-rich HEV glycoprotein
UniProt Gene Name	Lrg1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/leucine-rich-alpha-2-glycoprotein-1-lrg1/65996>