

Mouse ATPase, H+/K+ Exchanging Beta Polypeptide (ATP4b) ELISA Kit | ATP4b elisa kit

Mouse ATPase, H+/K+ Exchanging Beta Polypeptide (ATP4b) ELISA Kit

CATALOG #
AAA66022

REACTIVITY
Mouse


PRODUCT SYNONYMS

ATPase; H+/K+ Exchanging Beta Polypeptide (ATP4b); Mouse ATPase; H+/K+ Exchanging Beta Polypeptide (ATP4b) ELISA Kit; Proton pump beta chain; Gastric H(+)/K(+) ATPase subunit beta; ATP4b elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of ATP4b. No significant cross-reactivity or interference between ATP4b and analogues was observed.
Sequence Length	294
Samples	Tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	0.066ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level ATP4b were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level ATP4b were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ATP4b elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of ATP4b in mouse tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to ATP4b. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to ATP4b. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain ATP4b, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of ATP4b in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	6753142
NCBI GeneID	11945
NCBI Accession #	NP_033854.1
NCBI GenBank Nucleotide #	NM_009724.2
UniProt Accession #	P50992; Q9D6S3; Q9D6T2; Q9D6Y2
Molecular Weight	33,566 Da
NCBI Official Full Name	potassium-transporting ATPase subunit beta
NCBI Official Synonym Full Names	ATPase, H+/K+ exchanging, beta polypeptide
NCBI Official Symbol	Atp4b
NCBI Official Synonym Symbols	AV080843
NCBI Protein Information	potassium-transporting ATPase subunit beta
UniProt Protein Name	Potassium-transporting ATPase subunit beta
UniProt Gene Name	Atp4b

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/atpase-h-k-exchanging-beta-polypeptide-atp4b/66022>