

Human Carnitine Palmitoyltransferase 2, Mitochondrial (CPT2) ELISA Kit | CPT2 elisa kit

Human Carnitine Palmitoyltransferase 2, Mitochondrial (CPT2) ELISA Kit

CATALOG #
AAA66188

REACTIVITY
Human


PRODUCT SYNONYMS

Carnitine Palmitoyltransferase 2; Mitochondrial (CPT2); Human Carnitine Palmitoyltransferase 2; Mitochondrial (CPT2) ELISA Kit; Catalase; CPT2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of CPT2. No significant cross-reactivity or interference between CPT2 and analogues was observed.
Sequence Length	658
Samples	Tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.082ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level CPT2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level CPT2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CPT2 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of CPT2 in human tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CPT2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CPT2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CPT2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of CPT2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	4503023
NCBI GeneID	1376
NCBI Accession #	NP_000089.1
NCBI GenBank Nucleotide #	NM_000098.2
UniProt Accession #	P23786; Q5SW68; Q9BQ26; B2R6S0
Molecular Weight	73,777 Da
NCBI Official Full Name	carnitine O-palmitoyltransferase 2, mitochondrial isoform 1
NCBI Official Synonym Full Names	carnitine palmitoyltransferase 2
NCBI Official Symbol	CPT2
NCBI Official Synonym Symbols	CPT1; IIAE4; CPTASE
NCBI Protein Information	carnitine O-palmitoyltransferase 2, mitochondrial
UniProt Protein Name	Carnitine O-palmitoyltransferase 2, mitochondrial
UniProt Gene Name	CPT2
UniProt Synonym Gene Names	CPT1; CPT II

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/carnitine-palmitoyltransferase-2-mitochondrial-cpt2/66188>