

Porcine Lactoferrin (LTF) ELISA Kit | LTF elisa kit

Porcine Lactoferrin (LTF) ELISA Kit

CATALOG #
AAA66582

REACTIVITY
Porcine


PRODUCT SYNONYMS

Lactoferrin (LTF); Porcine Lactoferrin (LTF) ELISA Kit; HLF2; LF; GIG12; Lactotransferrin; Growth-inhibiting protein 12; Talalactoferrin; Lfcin-H; Kaliocin-1; LTF elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Porcine
Specificity	This assay has high sensitivity and excellent specificity for detection of LTF. No significant cross-reactivity or interference between LTF and analogues was observed.
Sequence Length	686
Assay Type	Quantitative Sandwich
Samples	Porcine serum, plasma or other biological fluids
Detection Range	31.2-2000pg/mL
Sensitivity	< 13.2pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level LTF were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level LTF were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for LTF elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to LTF. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to LTF. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain LTF, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of LTF in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of LTF in porcine serum, plasma or other biological fluids.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	47523782
NCBI GeneID	397649
NCBI Accession #	NP_999527.1
NCBI GenBank Nucleotide #	NM_214362.1
UniProt Accession #	P14632; Q29557
Molecular Weight	77,626 Da
NCBI Official Full Name	lactotransferrin
NCBI Official Symbol	LTF
NCBI Official Synonym Symbols	PLF
NCBI Protein Information	lactotransferrin
UniProt Protein Name	Lactotransferrin
UniProt Gene Name	LTF
UniProt Synonym Gene Names	Lactoferrin

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.