

Rabbit Prolactin (PRL) ELISA Kit | PRL elisa kit

Rabbit Prolactin (PRL) ELISA Kit

CATALOG #
AAA66795

REACTIVITY
Rabbit


PRODUCT SYNONYMS

Prolactin (PRL); Rabbit Prolactin (PRL) ELISA Kit; PPIB; PPI-B; CYP-S1; CyP-B; SCYLP; Peptidylprolyl Isomerase B; Peptidyl-Prolyl Cis-Trans Isomerase B; PRL elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rabbit
Specificity	This assay has high sensitivity and excellent specificity for detection of PRL. No significant cross-reactivity or interference between PRL and analogues was observed.
Sequence Length	227
Samples	Serum, plasma and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.109ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level PRL were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level PRL were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for PRL elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of PRL in rabbit serum, plasma and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to PRL. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to PRL. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain PRL, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of PRL in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	130504953
NCBI GeneID	100009394
NCBI Accession #	NP_001076144.1
NCBI GenBank Nucleotide #	NM_001082675.1
UniProt Accession #	Q28632
Molecular Weight	25,990 Da
NCBI Official Full Name	prolactin
NCBI Official Symbol	PRL
NCBI Official Synonym Symbols	GHA1
NCBI Protein Information	prolactin
UniProt Protein Name	Prolactin
UniProt Gene Name	PRL
UniProt Synonym Gene Names	PRL

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/rabbit-elisa-kits/prolactin-prl/66795>