

Human Major Histocompatibility Complex Class I A (MHCA) ELISA Kit | MHCA elisa kit

Human Major Histocompatibility Complex Class I A (MHCA) ELISA Kit

CATALOG #
AAA66829

REACTIVITY
Human


PRODUCT SYNONYMS

Major Histocompatibility Complex Class I A (MHCA); Human Major Histocompatibility Complex Class I A (MHCA) ELISA Kit; MHCA elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of MHCA. No significant cross-reactivity or interference between MHCA and analogues was observed.
Sequence Length	365
Samples	Tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.126ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level MHCA were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level MHCA were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MHCA elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of MHCA in human tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to MHCA. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to MHCA. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain MHCA, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of MHCA in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	337752170
NCBI GeneID	3105
NCBI Accession #	NP_001229687.1
NCBI GenBank Nucleotide #	NM_001242758.1
UniProt Accession #	P30443; O77964; O78171; Q9MYA3; Q9TP25; Q9TQP5; P01892; P13746; P18462; P30447; P30453; P30455; P30456; P30457; P30459
Molecular Weight	40,846 Da
NCBI Official Full Name	HLA class I histocompatibility antigen, A-1 alpha chain A*01:01:01:01
NCBI Official Synonym Full Names	major histocompatibility complex, class I, A
NCBI Official Symbol	HLA-A
NCBI Official Synonym Symbols	HLAA
NCBI Protein Information	HLA class I histocompatibility antigen, A-1 alpha chain
UniProt Protein Name	HLA class I histocompatibility antigen, A-1 alpha chain
UniProt Gene Name	HLA-A
UniProt Synonym Gene Names	HLAA

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/major-histocompatibility-complex-class-i-a-mhca/66829>