

Rat Nuclear Factor I/X (NFIX) ELISA Kit | NFIX elisa kit

Rat Nuclear Factor I/X (NFIX) ELISA Kit

CATALOG #
AAA67086

REACTIVITY
Rat


PRODUCT SYNONYMS

Nuclear Factor I/X (NFIX); Rat Nuclear Factor I/X (NFIX) ELISA Kit; NFIX elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of NFIX. No significant cross-reactivity or interference between NFIX and analogues was observed.
Sequence Length	502
Samples	Tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	0.053ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level NFIX were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level NFIX were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for NFIX elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of NFIX in rat tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to NFIX. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to NFIX. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain NFIX, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of NFIX in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	564395017
NCBI GeneID	81524
NCBI Accession #	XP_006255369.1
NCBI GenBank Nucleotide #	XP_006255369.1
UniProt Accession #	A0A0G2K1B6
Molecular Weight	55,162 Da
NCBI Official Full Name	nuclear factor 1 X-type isoform X1
NCBI Official Synonym Full Names	nuclear factor 1 X
NCBI Official Symbol	Nf1x
NCBI Official Synonym Symbols	Nfix
NCBI Protein Information	nuclear factor 1 X-type
UniProt Protein Name	Nuclear factor 1
UniProt Gene Name	Nf1x

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.