

Mouse Methylthioadenosine Phosphorylase (MTAP) ELISA Kit | MTAP elisa kit

Mouse Methylthioadenosine Phosphorylase (MTAP) ELISA Kit

CATALOG #
AAA67205

REACTIVITY
Mouse


PRODUCT SYNONYMS

Methylthioadenosine Phosphorylase (MTAP); Mouse Methylthioadenosine Phosphorylase (MTAP) ELISA Kit; MSAP; S-methyl-5'-thioadenosine phosphorylase; MTAP elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of MTAP. No significant cross-reactivity or interference between MTAP and analogues was observed.
Sequence Length	283
Samples	Tissue homogenates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.156-10ng/mL
Sensitivity	0.053ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level MTAP were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level MTAP were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for MTAP elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of MTAP in mouse tissue homogenates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to MTAP. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to MTAP. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain MTAP, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of MTAP in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	45544618
NCBI GeneID	66902
NCBI Accession #	NP_077753.1
NCBI GenBank Nucleotide #	NM_024433.2
UniProt Accession #	Q9CQ65; Q3TJS4
Molecular Weight	31,062 Da
NCBI Official Full Name	S-methyl-5'-thioadenosine phosphorylase
NCBI Official Synonym Full Names	methylthioadenosine phosphorylase
NCBI Official Symbol	Mtap
NCBI Official Synonym Symbols	MSAP; 1300019I21Rik
NCBI Protein Information	S-methyl-5'-thioadenosine phosphorylase
UniProt Protein Name	S-methyl-5'-thioadenosine phosphorylase
UniProt Gene Name	Mtap
UniProt Synonym Gene Names	MTA phosphorylase; MTAP; MTAPase

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/methylthioadenosine-phosphorylase-mtap/67205>