

Mouse Slit Homolog 2 (Slit2) ELISA Kit | Slit2 elisa kit

Mouse Slit Homolog 2 (Slit2) ELISA Kit

CATALOG #
AAA67374

REACTIVITY
Mouse


PRODUCT SYNONYMS

Slit Homolog 2 (Slit2); Mouse Slit Homolog 2 (Slit2) ELISA Kit; SLIL3; Slit2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of Slit2. No significant cross-reactivity or interference between Slit2 and analogues was observed.
Sequence Length	1521
Samples	Serum, plasma, tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	78.125-5000pg/mL
Sensitivity	34pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level Slit2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level Slit2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for Slit2 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of Slit2 in mouse serum, plasma, tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to Slit2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to Slit2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain Slit2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of Slit2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	166064058
NCBI GeneID	20563
NCBI Accession #	NP_848919.3
NCBI GenBank Nucleotide #	NM_178804.5
UniProt Accession #	Q9R1B9; Q9Z166; E9QKB4
Molecular Weight	168,783 Da
NCBI Official Full Name	slit homolog 2 protein isoform c
NCBI Official Synonym Full Names	slit homolog 2 (Drosophila)
NCBI Official Symbol	Slit2
NCBI Official Synonym Symbols	Slit3; Drad-1; slit-2; mKIAA4141; E030015M03Rik; E130320P19Rik
NCBI Protein Information	slit homolog 2 protein
UniProt Protein Name	Slit homolog 2 protein
UniProt Gene Name	Slit2
UniProt Synonym Gene Names	Slit-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-elisa-kits/slit-homolog-2-slit2/67374>