

Human Coagulation Factor V (F5) ELISA Kit | F5 elisa kit

Human Coagulation Factor V (F5) ELISA Kit

CATALOG #
AAA67706

REACTIVITY
Human


PRODUCT SYNONYMS

Coagulation Factor V (F5); Human Coagulation Factor V (F5) ELISA Kit; FV; FVL; PCCF; Proaccelerin; Labile Factor; Factor V Leiden; Accelerator Globulin; Activated protein C cofactor; labile factor; F5 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of F5. No significant cross-reactivity or interference between F5 and analogues was observed.
Sequence Length	2224
Samples	Plasma.
Assay Type	Sandwich
Detection Range	62.5-4000pg/mL
Sensitivity	23.9pg/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level F5 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level F5 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for F5 elisa kit	Intended Uses: This kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of F5 in human plasma. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to F5. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to F5. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain F5, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of F5 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	105990535
NCBI GeneID	2153
NCBI Accession #	NP_000121.2
NCBI GenBank Nucleotide #	NM_000130.4
UniProt Accession #	P12259; Q14285; Q2EHR5; Q5R346; Q5R347; Q6UPU6; Q8WWQ6; A8K6E8
Molecular Weight	251,703 Da
NCBI Official Full Name	coagulation factor V preproprotein
NCBI Official Synonym Full Names	coagulation factor V
NCBI Official Symbol	F5
NCBI Official Synonym Symbols	FVL; PCCF; THPH2; RPRGL1
NCBI Protein Information	coagulation factor V
UniProt Protein Name	Coagulation factor V
UniProt Gene Name	F5

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.