

Human Complement Component 4a (C4a) ELISA Kit | C4a elisa kit

Human Complement Component 4a (C4a) ELISA Kit

CATALOG #
AAA67999

REACTIVITY
Human


PRODUCT SYNONYMS

Complement Component 4a (C4a); Human Complement Component 4a (C4a) ELISA Kit; C4; C4S; CO4; CPAMD2; RG; C4A; C4F; CH; CPAMD3; C4(Rodgers Blood Group); Acidic C4; C3 and PZP-like alpha-2-macroglobulin domain-containing protein 2; C4a elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Specificity	This assay has high sensitivity and excellent specificity for detection of C4a. No significant cross-reactivity or interference between C4a and analogues was observed.
Sequence Length	1,698
Assay Type	Quantitative Sandwich
Samples	Human serum, plasma or other biological fluids
Detection Range	0.156-10ng/mL
Sensitivity	< 0.058ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level C4a were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level C4a were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for C4a elisa kit	Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to C4a. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to C4a. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain C4a, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of C4a in the samples is then determined by comparing the O.D. of the samples to the standard curve. Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of C4a in human serum, plasma or other biological fluids.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	178557739
NCBI GeneID	721
NCBI Accession #	NP_001002029.3
NCBI GenBank Nucleotide #	NM_001002029.3
UniProt Accession #	POC0L4; P01028; P78445; Q13160; Q13906; A6H8M8; A6NHJ5; A7E2V2; B0QZR6; B0V2C8; B2RUT6; B7ZVZ6; POC0L5
Molecular Weight	187,704 Da
NCBI Official Full Name	complement C4-B preproprotein
NCBI Official Synonym Full Names	complement C4B (Chido blood group)
NCBI Official Symbol	C4B
NCBI Official Synonym Symbols	CH; C4F; CO4; C4B1; C4B2; C4B3; C4B5; C4BD; C4B12; C4B_2; CPAMD3
NCBI Protein Information	complement C4-B
UniProt Protein Name	Complement C4-A
UniProt Gene Name	C4A
UniProt Synonym Gene Names	CO4; CPAMD2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-elisa-kits/complement-component-4a-c4a/67999>