

Mouse Signal Transducer And Activator Of Transcription 1 (STAT1) ELISA Kit | STAT1 elisa kit

Mouse Signal Transducer And Activator Of Transcription 1 (STAT1) ELISA Kit

CATALOG # AAA68131	REACTIVITY Mouse
------------------------------	----------------------------


PRODUCT SYNONYMS

Signal Transducer And Activator Of Transcription 1 (STAT1); Mouse Signal Transducer And Activator Of Transcription 1 (STAT1) ELISA Kit; STAT1 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Specificity	This assay has high sensitivity and excellent specificity for detection of STAT1. No significant cross-reactivity or interference between STAT1 and analogues was observed.
Sequence Length	749
Samples	Tissue homogenates, cell lysates and other biological fluids.
Assay Type	Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	0.127ng/mL
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level STAT1 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level STAT1 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%
Preparation and Storage	For unopened kit, all reagents should be kept according to the labels on vials. The TMB Substrate, Wash Buffer, Stop Solution should be stored at 4 degree C. All others should be stored at -20 degree C.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for STAT1 elisa kit	Intended Uses: This kit is a sandwich enzyme immunoassay for in vitro quantitative measurement of STAT1 in mouse tissue homogenates, cell lysates and other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to STAT1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to STAT1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain STAT1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of STAT1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
---	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	1174458
NCBI GeneID	20846
UniProt Accession #	P42225
Molecular Weight	87,197 Da
NCBI Official Full Name	Signal transducer and activator of transcription 1
NCBI Official Synonym Full Names	signal transducer and activator of transcription 1
NCBI Official Symbol	Stat1
NCBI Official Synonym Symbols	AA408197; 2010005J02Rik
NCBI Protein Information	signal transducer and activator of transcription 1
UniProt Protein Name	Signal transducer and activator of transcription 1
UniProt Gene Name	Stat1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.