

Rat Aspartate Aminotransferase 2 (AST2) ELISA Kit | AST2 elisa kit

Rat Aspartate Aminotransferase 2 (AST2) ELISA Kit

CATALOG # AAA68507	REACTIVITY Rat
------------------------------	--------------------------


PRODUCT SYNONYMS

Aspartate Aminotransferase 2 (AST2); Rat Aspartate Aminotransferase 2 (AST2) ELISA Kit; GOT2; MitAAT; KATIV; KAT4; FABP-1; Plasma membrane-associated fatty acid-binding protein; Glutamic-Oxaloacetic Transaminase 2; Mitochondrial; Kynurenine Aminotransferase IV; AST2 elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Rat
Specificity	This assay has high sensitivity and excellent specificity for detection of AST2. No significant cross-reactivity or interference between AST2 and analogues was observed.
Sequence Length	430
Samples	Serum, plasma, tissue homogenates or other biological fluids
Assay Type	Quantitative Sandwich
Detection Range	0.312-20ng/mL
Sensitivity	<0.107ng/mL.
Intra-assay Precision	Intra-assay Precision (Precision within an assay): 3 samples with low, middle and high level AST2 were tested 20 times on one plate, respectively. Intra-Assay: CV<10%
Inter-assay Precision	Inter-assay Precision (Precision between assays): 3 samples with low, middle and high level AST2 were tested on 3 different plates, 8 replicates in each plate. CV(%) = SD/meanX100. Inter-Assay: CV<12%

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for AST2 elisa kit	Intended Uses: The kit is a sandwich enzyme immunoassay for the in vitro quantitative measurement of AST2 in rat serum, plasma, tissue homogenates or other biological fluids. Principle of the Assay: The microtiter plate provided in this kit has been pre-coated with an antibody specific to AST2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to AST2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain AST2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm +/- 10nm. The concentration of AST2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.
--	--

NCBI AND UNIPROT INFORMATION

NCBI GI #	6980972
NCBI GeneID	25721
NCBI Accession #	NP_037309.1
NCBI GenBank Nucleotide #	NM_013177.2
UniProt Accession #	P00507; Q64551; Q9QV50
Molecular Weight	47,314 Da
NCBI Official Full Name	aspartate aminotransferase, mitochondrial
NCBI Official Synonym Full Names	glutamic-oxaloacetic transaminase 2
NCBI Official Symbol	Got2
NCBI Official Synonym Symbols	mAAT; ASPATA
NCBI Protein Information	aspartate aminotransferase, mitochondrial
UniProt Protein Name	Aspartate aminotransferase, mitochondrial
UniProt Gene Name	Got2
UniProt Synonym Gene Names	Maat; mAspAT; FABP-1; FABPpm

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.