Mouse Advanced Glycosylation End Product Specific Receptor (AGER) RTU ELISA Kit | AGER rtu elisa kit

Mouse Advanced Glycosylation End Product Specific Receptor (AGER) ELISA Kit

CATALOG #	REACTIVITY
AAA68949	**Mouse**

PRODUCT SYNONYMS

Advanced Glycosylation End Product Specific Receptor (AGER); Mouse Advanced Glycosylation End Product Specific Receptor (AGER) ELISA Kit; RAGE; Receptor For Advanced Glycation Endproducts; AGER rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	393
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	0.156-10ng/mL
Sensitivity	0.058ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for AGER rtu elisa kit	Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to AGER. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to AGER. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain AGER, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of AGER in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	406855404
NCBI GeneID	11596
NCBI Accession #	NP_001258351.1
NCBI GenBank Nucleotide #	NM_001271422.1
UniProt Accession #	Q62151; C5H3H4; C5H3H5; C5H3H7; C5H3I0; C5H7W3; C5H7W4; C5H7W5; C5H7W6; C5H7W7; C5H7W8; C5H7W9
Molecular Weight	3,036 Da
NCBI Official Full Name	advanced glycosylation end product-specific receptor isoform b
NCBI Official Synonym Full Names	advanced glycosylation end product-specific receptor
NCBI Official Symbol	Ager
NCBI Official Synonym Symbols	RAGE
NCBI Protein Information	advanced glycosylation end product-specific receptor
UniProt Protein Name	Advanced glycosylation end product-specific receptor
UniProt Gene Name	**Ager**
UniProt Synonym Gene Names	Rage

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: https://stage.aaabiotech.com/mouse-rtu-elisa-kits/advanced-glycosylation-end-product-specific-receptor-ager/68949