

Mouse Beta-Thromboglobulin (bTG) RTU ELISA Kit | bTG rtu elisa kit

Mouse Beta-Thromboglobulin (bTG) ELISA Kit

CATALOG #
AAA69426

REACTIVITY
Mouse


PRODUCT SYNONYMS

Beta-Thromboglobulin (bTG); Mouse Beta-Thromboglobulin (bTG) ELISA Kit; CXCL7; PPBP; PBP; B-TG1; CTAP-III; CTAP3; CTAPIII; LA-PF4; LDGF; MDGF; NAP2; SCYB7; TC1; TC2; TGB1; THBGB1; Pro-Platelet Basic Protein; Chemokine C-X-C-Motif Ligand 7; bTG rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	171
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	78.1-5000pg/mL
Sensitivity	34pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for bTG rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to bTG. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to bTG. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain bTG, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of bTG in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	40363261
NCBI GeneID	12226
NCBI Accession #	NP_031595.1
NCBI GenBank Nucleotide #	NM_007569.2
UniProt Accession #	P62325; P31607
Molecular Weight	19,209 Da
NCBI Official Full Name	protein BTG1
NCBI Official Synonym Full Names	B cell translocation gene 1, anti-proliferative
NCBI Official Symbol	Btg1
NCBI Official Synonym Symbols	AI426953; AW546738
NCBI Protein Information	protein BTG1
UniProt Protein Name	Protein BTG1
UniProt Gene Name	Btg1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/beta-thromboglobulin-btg/69426>