Human Chemokine C-C-Motif Ligand 3 Like Protein 1 (CCL3L1) RTU ELISA Kit | CCL3L1 rtu elisa kit

Human Chemokine C-C-Motif Ligand 3 Like Protein 1 (CCL3L1) ELISA Kit

CATALOG #	REACTIVITY
AAA69600	**Human**

PRODUCT SYNONYMS

Chemokine C-C-Motif Ligand 3 Like Protein 1 (CCL3L1); Human Chemokine C-C-Motif Ligand 3 Like Protein 1 (CCL3L1) ELISA Kit; CCL3-L1; LD78; SCYA3L; SCYA3L1; MIP1AP; MIP1-Alpha-P; Small Inducible Cytokine A3-Like 1; Macrophage Inflammatory Protein 1-Alpha-P; Tonsillar Lymphocyte LD78 Beta; CCL3L1 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	93
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	78.1-5000pg/mL
Sensitivity	32pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CCL3L1 rtu elisa kit	Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CCL3L1. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CCL3L1. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CCL3L1, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm ± 10nm. The concentration of CCL3L1 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	93589094
NCBI GeneID	414062
NCBI Accession #	NP_001001437.2
NCBI GenBank Nucleotide #	NM_001001437.3
UniProt Accession #	P16619; Q3B7A8; Q53YA5; Q96I68; A6NGK6; B2RUX4
Molecular Weight	10,161 Da
NCBI Official Full Name	C-C motif chemokine 3-like 1
NCBI Official Synonym Full Names	C-C motif chemokine ligand 3 like 3
NCBI Official Symbol	CCL3L3
NCBI Official Synonym Symbols	LD78; 464.2; SCYA3L; G0S19-2; SCYA3L1; D17S1718; LD78BETA
NCBI Protein Information	C-C motif chemokine 3-like 1
UniProt Protein Name	C-C motif chemokine 3-like 1
UniProt Gene Name	**CCL3L1**
UniProt Synonym Gene Names	D17S1718; G0S19-2; SCYA3L1

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: https://stage.aaabiotech.com/human-rtu-elisa-kits/chemokine-c-c-motif-ligand-3-like-protein-1-ccl3l1/69600