

Mouse Clusterin (CLU) RTU ELISA Kit | CLU rtu elisa kit

Mouse Clusterin (CLU) ELISA Kit

CATALOG #
AAA69826

REACTIVITY
Mouse


PRODUCT SYNONYMS

Clusterin (CLU); Mouse Clusterin (CLU) ELISA Kit; CLU; TRPM2; KUB1; CLI; APOJ; SGP2; AAG4; APO-J; SP-40; Apolipoprotein J; Complement Lysis Inhibitor; 40; Sulfated Glycoprotein 2; Testosterone-Repressed Prostate Message 2; CLU rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Mouse
Sequence Length	448
Assay Type	Sandwich
Samples	Serum, Plasma, Urine, Breast Milk, Tissue Homogenates, Cell Lysates, Cerebrospinal Fluid, Cell Culture Supernates or Other Biological Fluids.
Detection Range	18.7-1200ng/mL
Sensitivity	6.1ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for CLU rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to CLU. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to CLU. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain CLU, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of CLU in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	214010170
NCBI GeneID	12759
NCBI Accession #	NP_038520.2
NCBI GenBank Nucleotide #	NM_013492.3
UniProt Accession #	Q06890
Molecular Weight	51,656 Da
NCBI Official Full Name	clusterin preproprotein
NCBI Official Synonym Full Names	clusterin
NCBI Official Symbol	Clu
NCBI Official Synonym Symbols	Cli; ApoJ; Sgp2; SP-40; Sgp-2; Sugp-2; A1893575; D14Ucla3
NCBI Protein Information	clusterin
UniProt Protein Name	Clusterin
UniProt Gene Name	Clu
UniProt Synonym Gene Names	Apoj; Msgp-2; Apo-J; SGP-2

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/mouse-rtu-elisa-kits/clusterin-clu/69826>