

Human Ectonucleotide Pyrophosphatase/Phosphodiesterase 2 (ENPP2) RTU ELISA Kit | ENPP2 rtu elisa kit

Human Ectonucleotide Pyrophosphatase/Phosphodiesterase 2 (ENPP2) ELISA Kit

CATALOG # AAA70419	REACTIVITY Human
------------------------------	----------------------------


PRODUCT SYNONYMS

Ectonucleotide Pyrophosphatase/Phosphodiesterase 2 (ENPP2); Human Ectonucleotide Pyrophosphatase/Phosphodiesterase 2 (ENPP2) ELISA Kit; ATX; ATX-X; LysoPLD; NPP2; PD-IALPHA; PDNP2; Autotaxin; Extracellular lysophospholipase D; ENPP2 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	863
Assay Type	Sandwich
Samples	Serum, Plasma or Other Biological Fluids.
Detection Range	93.7-6000pg/mL
Sensitivity	32.28pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for ENPP2 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to ENPP2. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to ENPP2. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain ENPP2, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of ENPP2 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	91823602
NCBI GeneID	5168
NCBI Accession #	NP_001035181.1
NCBI GenBank Nucleotide #	NM_001040092.2
UniProt Accession #	Q13822; Q13827; Q14555; Q15117; Q9UCQ8; Q9UCR0; Q9UCR1; Q9UCR2; Q9UCR3; Q9UCR4; A8UHA1; E9PHP7
Molecular Weight	101,968 Da
NCBI Official Full Name	ectonucleotide pyrophosphatase/phosphodiesterase family member 2 isoform 2 preproprotein
NCBI Official Synonym Full Names	ectonucleotide pyrophosphatase/phosphodiesterase 2
NCBI Official Symbol	ENPP2
NCBI Official Synonym Symbols	ATX; NPP2; ATX-X; PDNP2; LysoPLD; AUTOTAXIN; PD-IALPHA
NCBI Protein Information	ectonucleotide pyrophosphatase/phosphodiesterase family member 2
UniProt Protein Name	Ectonucleotide pyrophosphatase/phosphodiesterase family member 2
UniProt Gene Name	ENPP2
UniProt Synonym Gene Names	ATX; PDNP2; E-NPP 2; LysoPLD

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/ectonucleotide-pyrophosphatase-phosphodiesterase-2-enpp2/70419>