

Human Fibroblast Activation Protein Alpha (FAPa) RTU ELISA Kit | FAPa rtu elisa kit

Human Fibroblast Activation Protein Alpha (FAPa) ELISA Kit

CATALOG #
AAA70543

REACTIVITY
Human


PRODUCT SYNONYMS

Fibroblast Activation Protein Alpha (FAPa); Human Fibroblast Activation Protein Alpha (FAPa) ELISA Kit; APCE; SIMP; DPPIV; Seprase; 170 kDa melanoma membrane-bound gelatinase; Post-proline cleaving enzyme; Serine integral membrane protease; Surface-expressed protease; FAPa rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	735
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates or Other Biological Fluids.
Detection Range	0.781-50ng/mL
Sensitivity	0.28ng/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FAPa rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to FAPa. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to FAPa. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain FAPa, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of FAPa in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	620597362
NCBI GeneID	2191
NCBI Accession #	NP_001278736.1
NCBI GenBank Nucleotide #	NM_001291807.2
UniProt Accession #	Q12884; O00199; Q53TP5; Q86Z29; Q99998; Q9UID4
Molecular Weight	26,954 Da
NCBI Official Full Name	prolyl endopeptidase FAP isoform 2
NCBI Official Synonym Full Names	fibroblast activation protein alpha
NCBI Official Symbol	FAP
NCBI Official Synonym Symbols	FAPA; SIMP; DPPIV; FAPalpha
NCBI Protein Information	prolyl endopeptidase FAP
UniProt Protein Name	Prolyl endopeptidase FAP
UniProt Gene Name	FAP
UniProt Synonym Gene Names	APCE

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/fibroblast-activation-protein-alpha-fapa/70543>