

Human Fibroblast Growth Factor 8, Androgen Induced (FGF8) RTU ELISA Kit | FGF8 rtu elisa kit

Human Fibroblast Growth Factor 8, Androgen Induced (FGF8) ELISA Kit

CATALOG #
AAA70665

REACTIVITY
Human


PRODUCT SYNONYMS

Fibroblast Growth Factor 8; Androgen Induced (FGF8); Human Fibroblast Growth Factor 8; Androgen Induced (FGF8) ELISA Kit; AIGF; HBGF8; Androgen-induced growth factor; Heparin-binding growth factor 8; FGF8 rtu elisa kit

PRODUCT SPECIFICATIONS

Reactivity	Human
Sequence Length	215
Assay Type	Sandwich
Samples	Serum, Plasma, Tissue Homogenates, Cell Lysates, Cell Culture Supernates or Other Biological Fluids.
Detection Range	15.6-1000pg/mL
Sensitivity	6.3pg/mL
RTU ELISA Kit's Advantage	The Ready-To-Use (RTU) Kits require fewer steps in setup and take less time to run. Detection Solutions are pre-diluted and total incubation time is shorter than many other ELISA Kits.
Preparation and Storage	For unopened kits: All the reagents should be kept at 4 degree C upon receipt. For opened kits: Once the kit is opened, the remaining reagents still need to be stored according to the above storage conditions. In addition, return the unused wells to the foil pouch containing the desiccant pack and reseal along entire edge of zip-seal.

IMAGES



Standard Curve (Sample)

ADDITIONAL INFORMATION

Related Product Information for FGF8 rtu elisa kit

Test Principle: The microtiter plate provided in this kit has been pre-coated with an antibody specific to FGF8. Standards or samples are then added to the appropriate microtiter plate wells with a biotin-conjugated antibody preparation specific to FGF8. Next, Avidin conjugated to Horseradish Peroxidase (HRP) is added to each microplate well and incubated. After TMB substrate solution is added, only those wells that contain FGF8, biotin-conjugated antibody and enzyme-conjugated Avidin will exhibit a change in color. The enzyme-substrate reaction is terminated by the addition of sulphuric acid solution and the color change is measured spectrophotometrically at a wavelength of 450nm $\pm$ 10nm. The concentration of FGF8 in the samples is then determined by comparing the O.D. of the samples to the standard curve.

NCBI AND UNIPROT INFORMATION

NCBI GI #	5174439
NCBI GeneID	2253
NCBI Accession #	NP_006110.1
NCBI GenBank Nucleotide #	NM_006119.4
UniProt Accession #	P55075; Q14915; Q15766; A1A514
Molecular Weight	27,715 Da
NCBI Official Full Name	fibroblast growth factor 8 isoform B
NCBI Official Synonym Full Names	fibroblast growth factor 8
NCBI Official Symbol	FGF8
NCBI Official Synonym Symbols	HH6; AIGF; KAL6; FGF-8; HBGF-8
NCBI Protein Information	fibroblast growth factor 8
UniProt Protein Name	Fibroblast growth factor 8
UniProt Gene Name	FGF8
UniProt Synonym Gene Names	AIGF; FGF-8; AIGF; HBGF-8

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/human-rtu-elisa-kits/fibroblast-growth-factor-8-androgen-induced-fgf8/70665>