

Mouse anti-Human EpCAM Monoclonal Antibody | anti-EpCAM antibody

EpCAM (Extracellular region) M042 Antibody

CATALOG # AAA71620	HOST Mouse	REACTIVITY Human	APPLICATIONS Immunoprecipitation, Immunocytochemistry, ELISA, Western Blot
------------------------------	----------------------	----------------------------	--

PRODUCT SYNONYMS

EpCAM; Monoclonal Antibody; EpCAM (Extracellular region) M042 Antibody; EpCAM (Extracellular region); EpCAM M042; anti-EpCAM antibody

PRODUCT SPECIFICATIONS

Host	Mouse
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Clone Number	M042
Specificity	Clone M042 mouse monoclonal antibody detects a 35-45kDa* protein on SDS-PAGE "Native" immunoblots of human A431, H1915, and MCF7 carcinomas. This antibody does not detect denatured EpCAM. The antibody works for native western blot, immunoprecipitation, ELISA, and immunocytochemistry.
Purity/Purification	Protein G chromatography
Form/Format	Mouse monoclonal antibody purified with protein G chromatography is supplied in 100ul phosphate-buffered saline, 50% glycerol, 1mg/ml BSA, and 0.05% sodium azide.
Applicable Applications for anti-EpCAM antibody	IP (Immunoprecipitation), ICC (Immunocytochemistry), ELISA, WB (Western Blot)
Immunogen	Clone (M042) was generated from the extracellular region of human EpCAM.
Preparation and Storage	Store at -20 degree C. Stable for 1 year.

IMAGES




Standard Curve (Sample)

Representative Standard Curve using mouse monoclonal anti-EpCAM (EM0421) for ELISA capture of human recombinant EpCAM extracellular region with His-tag. Capture was detected by using an anti-His-tag antibody followed by appropriate secondary antibody conjugated to HRP.



ICC (Immunocytochemistry)

Immunocytochemical labeling of EpCAM in aldehyde fixed human NCI-H1915 lung carcinoma cells. The cells were labeled with mouse monoclonal anti-EpCAM (EM0421). The antibody was detected using goat anti-mouse Ig:DyLight 594.



WB (Western Blot)

Western blot of native lysates including human EpCAM extracellular region (lane 1 & 6), MCF7 breast carcinoma (lane 2 & 7), A431 skin adenocarcinoma (lane 3 & 8), NCI-H1915 lung carcinoma (lane 4 & 9), and NCI-H446 lung carcinoma (lane 5 & 10). The blot was probed with mouse monoclonal anti-EpCAM (EM0391) (lanes 1-5) and mouse monoclonal anti-EpCAM (EM0421) (lanes 6-10) at 1:1000 each.

ADDITIONAL INFORMATION

Related Product Information for anti-EpCAM antibody	Epithelial Cell Adhesion Molecule (EpCAM) is a signal type I transmembrane glycoprotein that has an extracellular domain with one thyroglobulin type-1 domain and a short cytoplasmic domain. EpCAM is found on the surface of adenocarcinoma, but not on mesodermal or neural cell membranes. The EpCAM molecule has been shown to function as a homophilic Ca2+ independent adhesion molecule. It may act as a physical homophilic interaction molecule between intestinal epithelial cells (IECs) and intraepithelial lymphocytes (IELs) at the mucosal epithelium. Defects in EpCAM cause hereditary non-polyposis colorectal cancer type 8 (HNPCC8) and diarrhea type 5 (DIAR5). EpCAM plays a role in embryonic stem cell proliferation and differentiation; it up-regulates the expression of FABP5, MYC, and Cyclin A & Cyclin E. It is highly and selectively expressed by undifferentiated embryonic stem cells and in many types of epithelial carcinomas.
References	Armstrong, A. & Eck, S.L. (2003) Cancer Biol Ther. 2:320. Baeuerle, P.A. & Gires, O. (2007) Br J Cancer. 96:417.

NCBI AND UNIPROT INFORMATION

NCBI GI #	218505670
NCBI GeneID	4072
NCBI Accession #	NP_002345.2
NCBI GenBank Nucleotide #	NM_002354.2
UniProt Accession #	P16422; P18180; Q6FG26; Q6FG49; Q96C47; Q9UCD0
Molecular Weight	34,932 Da
NCBI Official Full Name	epithelial cell adhesion molecule
NCBI Official Synonym Full Names	epithelial cell adhesion molecule
NCBI Official Symbol	EPCAM
NCBI Official Synonym Symbols	ESA; KSA; M4S1; MK-1; DIAR5; EGP-2; EGP40; KS1/4; MIC18; TROP1; EGP314; HNPCC8; TACSTD1
NCBI Protein Information	epithelial cell adhesion molecule; epithelial glycoprotein 314; human epithelial glycoprotein-2; cell surface glycoprotein Trop-1; adenocarcinoma-associated antigen; tumor-associated calcium signal transducer 1; major gastrointestinal tumor-associated pro
UniProt Protein Name	Epithelial cell adhesion molecule
UniProt Gene Name	EPCAM
UniProt Synonym Gene Names	GA733-2; M1S2; M4S1; MIC18; TACSTD1; TROP1; Ep-CAM; EGP; EGP314; hEGP314
UniProt Entry Name	EPCAM_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.