

IL-18 recombinant antibody

Anti-IL-18 [ABT-325 (A-794722.0; 2.5(E))], Human IgG1, kappa

CATALOG # AAA72551	HOST Human	REACTIVITY Human, cynomolgus monkey	APPLICATIONS Flow Cytometry, Functional Assay, ELISA, Immunoprecipitation
------------------------------	----------------------	---	---


PRODUCT SYNONYMS

IL-18; Monoclonal Recombinant Antibody; Anti-IL-18 [ABT-325 (A-794722.0; 2.5(E))]; Human IgG1; kappa; Interleukin-18; IL18; IGIF; IL1F4; Ibctadekin; Interferon gamma-inducing factor; IFN-gamma-inducing factor; Interleukin-1 gamma; IL-1 gamma; ABT325; 2.5(E)mg1; IL-18 recombinant antibody

PRODUCT SPECIFICATIONS


Host	Human
Reactivity	Human, cynomolgus monkey
Clonality	Monoclonal
Isotype	Human IgG1 kappa
Clone Number	ABT-325 (A-794722.0; 2.5(E))
Specificity	This antibody binds human and cynomolgus monkey IL-18 and does not cross react with mouse, rat or dog IL-18. Interleukin-18 is a pro-inflammatory cytokine primarily involved in epithelial barrier repair, polarized T-helper 1 (Th1) cell and natural killer (NK) cell immune responses.
Purity/Purification	Protein A affinity purified
Form/Format	PBS with 0.02% Proclin 300.
Concentration	1mg/ml (varies by lot)
Applicable Applications for IL-18 recombinant antibody	FCM/FACS (Flow Cytometry), ELISA, IP (Immunoprecipitation)
Preparation and Storage	Store at 4 degree C for up to 3 months. For longer storage, aliquot and store at -20 degree C.

IMAGES



FCM/FACS (Flow Cytometry)

Flow cytometry using anti-IL-18 antibody ABT-325 (AAA72551). Human blood leukocytes were rested for 4h at 37°C, fixed with 2% PFA, permeabilized with 0.5% Triton, and stained with the anti-unknown specificity antibody or the rabbit IgG version of ABT-325 (AAA72551, left) at a dilution of 1:100 overnight at 4°C. After washing, the bound antibody was detected using a goat anti-rabbit IgG Alexa Fluor 488 antibody at a dilution of 1:1000, and the cells were analyzed using a FACSCanto flow cytometer.



WB (Western Blot)

Western Blot using anti-IL-18 antibody ABT-325 (A-794722.0; 2.5(E)) (AAA72551). HeLa cell lysate (35 µg protein in RIPA buffer) was separated on 4-20% SDS-PAGE, and the subsequent blot was probed with the chimeric rabbit version of ABT-325 (A-794722.0; 2.5(E)) (AAA72551) at 1 µg/ml before detection using an anti-rabbit secondary antibody. A primary incubation of 1 hour was used, and the

ADDITIONAL INFORMATION

Related Product Information for IL-18 recombinant antibody	The original antibody was generated by immunizing transgenic Xenomouse with human IL-18 in phosphate-buffered saline.
--	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	342349321
NCBI GeneID	3606
NCBI Accession #	NP_001230140.1
NCBI GenBank Nucleotide #	NM_001243211.1
UniProt Accession #	Q14116; O75599; Q6FGY3; Q6WWJ7
Molecular Weight	22,326 Da
NCBI Official Full Name	interleukin-18 isoform 2 proprotein
NCBI Official Synonym Full Names	interleukin 18 (interferon-gamma-inducing factor)
NCBI Official Symbol	IL18
NCBI Official Synonym Symbols	IGIF; IL-18; IL-1g; IL1F4
NCBI Protein Information	interleukin-18; IL-1 gamma; iboctadecin; interleukin-1 gamma; IFN-gamma-inducing factor
UniProt Protein Name	Interleukin-18
UniProt Gene Name	IL18
UniProt Synonym Gene Names	IGIF; IL1F4; IL-18; IFN-gamma-inducing factor; IL-1 gamma
UniProt Entry Name	IL18_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/monoclonal/il-18-recombinant-antibody-clone-abt-325-a-794722-0-2-5-e-flow-cytometry-immunoprecipitation-elisa/72551>