

c-KIT (d557-558) Recombinant Protein | c-KIT recombinant protein

c-KIT (d557-558), Active

CATALOG # AAA73637	HOST Sf9 insect cells	APPLICATIONS Kinase Assay
------------------------------	---------------------------------	-------------------------------------


PRODUCT SYNONYMS

c-KIT (d557-558); Active; PBT; SCFR; CD117; c-KIT recombinant protein

PRODUCT SPECIFICATIONS


Host	Sf9 insect cells
Form/Format	Recombinant protein stored in 50mM Tris-HCl, pH7.5, 150mM NaCl, 10mM glutathione, 0.1mM EDTA, 0.25mM DTT, 0.1mM PMSF, 25% glycerol.
Applicable Applications for c-KIT recombinant protein	Kinase Assay
Tag	GST
Species	Human
Dry Ice Note	The product may be shipped with dry ice, and an additional fee may be added to your shipping cost.
Preparation and Storage	Store product at -70 degree C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.

IMAGES



SDS-PAGE

Purity: Sample Purity Data. For specific information on a given lot, see related technical data sheet.



Activity

Specific Activity: Sample Kinase Activity Plot. For specific information on a given lot, see related technical data sheet.

ADDITIONAL INFORMATION

Related Product Information for c-KIT recombinant protein	Recombinant human c-KIT (d557-558)(544-end) was expressed by baculovirus in Sf9 insect cells using an N-terminal GST tag. The gene accession number is NM_000222. c-KIT is a proto-oncogene and a type 3 transmembrane receptor for MGF (mast cell growth factor, also known as stem cell factor). c-KIT was first identified as the cellular homolog of the feline sarcoma viral oncogene v-kit. c-KIT together with its ligand regulates growth and activation of a variety of hemopoietic and non-hemopoietic cells. Mutations in c-KIT are associated with gastrointestinal stromal tumors, mast cell disease, acute myelogenous leukemia, and piebaldism. Recently, deregulation of the KIT receptor TK by the prevalent activation loop mutation D816V has served as a focal point in therapeutic strategies aimed at curbing neoplastic mast cell growth (2).
Product Categories/Family for c-KIT recombinant protein	Mutant Kinases; Cancer; Inflammation; Neurobiology; Receptor Tyrosine Kinases

References

1. Berger, S A.: Signaling pathways influencing SLF and c-kit-mediated survival and proliferation. Immunol Res. 2006;35(1-2):1-12.
2. Gotlib, J.: KIT mutations in mastocytosis and their potential as therapeutic targets. Immunol Allergy Clin North Am. 2006 Aug;26(3):575-92.

NCBI AND UNIPROT INFORMATION

NCBI GenBank Nucleotide #

[NM_000222](#)

Molecular Weight

~75kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/c-kit-d557-558-recombinant-protein-sf9-insect-cells-kinase-assay/73637>