

PDGFR alpha Recombinant Protein | PDGFRalpha recombinant protein

PDGFR alpha, Active

CATALOG # AAA73794	HOST Sf9 insect cells	APPLICATIONS Western Blot
------------------------------	---------------------------------	-------------------------------------

PRODUCT SYNONYMS

PDGFR alpha; Active; CD140a; Pdgfr-2; AI115593; PDGFRalpha recombinant protein


PRODUCT SPECIFICATIONS

Host	Sf9 insect cells
Form/Format	Recombinant protein stored in 50mM Tris-HCl, pH7.5, 150mM NaCl, 0.25mM DTT, 0.1mM EGTA, 0.1mM EDTA, 0.1mM PMSF, 25% glycerol.
Applicable Applications for PDGFRalpha recombinant protein	WB (Western Blot), Kinase Assay
Tag	GST
Species	Mouse
Dry Ice Note	The product may be shipped with dry ice, and an additional fee may be added to your shipping cost.
Preparation and Storage	Store product at -70 degree C. For optimal storage, aliquot target into smaller quantities after centrifugation and store at recommended temperature. For most favorable performance, avoid repeated handling and multiple freeze/thaw cycles.

IMAGES


SDS-PAGE

Purity: Sample Purity Data. For specific information on a given lot, see related technical data sheet.


Activity

Specific Activity: Sample Kinase Activity Plot. For specific information on a given lot, see related technical data sheet.

ADDITIONAL INFORMATION

Related Product Information for PDGFRalpha recombinant protein	Recombinant mouse PDGFRalpha (550-end) was expressed by baculovirus in Sf9 insect cells using an N-terminal GST tag. The gene accession number is NM_011058. PDGFRalpha (platelet-derived growth factor receptor A) is a member of the PDGFR family of membrane receptors with intrinsic tyrosine kinase activity. Aberrant expression of PDGFRalpha has been linked to developmental abnormalities in vertebrate models and has been implicated in multiple disease states in humans. There is widespread expression of PDGFRalpha in renal cell types involved in fibrotic and sclerosing processes(1). PDGF and its receptor PDGFRalpha are inducers of fibrosis in the repair phase of inflammatory bowel disease and they may also be involved in the active inflammatory phase (2).
Product Categories/Family for PDGFRalpha recombinant protein	Protein Kinases; AKT/PKB Pathway; Cancer; ERK/MAPK Pathway; Receptor Tyrosine Kinases

References

1. Floege, J. et al: Expression of PDGF alpha-receptor in renal arteriosclerosis and rejecting renal transplants. J Am Soc Nephrol. 1998 Feb;9(2):211-23.
2. Kumagai, S. et al: Platelet-derived growth factor and its receptors are expressed in areas of both active inflammation and active fibrosis in inflammatory bowel disease. Tohoku J Exp Med. 2001 Sep;195(1):21-33.

NCBI AND UNIPROT INFORMATION

NCBI GenBank Nucleotide #

[NM_011058](#)

Molecular Weight

~100kDa

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/pdgfr-alpha-recombinant-protein-sf9-insect-cells-wb-western-blot-kinase-assay/73794>