

Goat anti Pig IgM Secondary Antibody | IgM secondary antibody

Goat anti Pig IgM

CATALOG # AAA75104	HOST Goat	REACTIVITY Pig	APPLICATIONS Western Blot, Immunohistochemistry, Immunocytochemistry, ELISA
------------------------------	---------------------	--------------------------	---

PRODUCT SYNONYMS

Goat anti Pig IgM; Polyclonal Pig IgM; Anti-Pig IgM; Pig Immunoglobulin M; Porcine IgM; IgM secondary antibody

PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Pig
Isotype	IgG
Purity/Purification	Pig IgM antibody Immuno was purified by affinity chromatography.
Form/Format	Liquid in PBS , with 0.09% NaN ₃
Concentration	1.0 mg/ml (varies by lot)
Applicable Applications for IgM secondary antibody	WB (Western Blot), IHC (Immunohistochemistry), ICC (Immunocytochemistry), ELISA
Biological Significance	IgM is found in normal plasma at a concentration of 1.2 to 4.0 mg/ml. It is the first immunoglobulin produced during the immune response, the first antibody in neonates, and is involved in pathogenesis of autoimmune diseases. A diminished level of IgM is associated with Wiskott-Aldrich syndrome.
Biohazard Information	This product contains sodium azide as preservative. Although the amount of sodium azide is very small appropriate care must be taken when handling this product.
Preparation and Storage	Store at 4°C.

ADDITIONAL INFORMATION

Related Product Information for IgM secondary antibody	Affinity purified Goat anti Pig IgM antibody
Product Categories/Family for IgM secondary antibody	Immunology ; Purified Secondary Antibodies

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/goat-pig-secondary-antibody/goat-anti-pig-igm/75104>