

Goat anti Bird IgG (H + L) (HRP) Secondary Antibody | IgG secondary antibody

Goat anti Bird IgG (H + L) (HRP)

CATALOG #	HOST	APPLICATIONS
AAA75514	Goat	Western Blot, Immunohistochemistry, Immunocytochemistry, ELISA

PRODUCT SYNONYMS

Goat anti Bird IgG (H + L) (HRP); Bird Immunoglobulin G; Heavy and Light Chain; Bird IgG; IgG secondary antibody

PRODUCT SPECIFICATIONS

Host	Goat
Isotype	IgG
Form/Format	Affinity purified liquid in Phosphate Buffered Saline (PBS) containing 0.2% BSA and 0.05% Pro-Clean 400. HRP conjugated
Concentration	1.0 mg/ml by Beer-lambert law (1 mg/ml IgG has A280 of 1.4) (varies by lot)
Applicable Applications for IgG secondary antibody	WB (Western Blot), IHC (Immunohistochemistry), ICC (Immunocytochemistry), ELISA
Immunogen	Goats were immunized with purified IgG from dove, duck, sparrow and chicken serum
Cross-Reactivity	By immunoelectrophoresis and ELISA this antibody reacts with dove, duck, sparrow, and chicken, turkey, emu, ostrich, quail, macaw and cockatiel IgG. No antibody was detected against non-immunoglobulin serum proteins. This antibody may cross react with IgG from other species
Preparation and Storage	Store at 2-8 degree C.

ADDITIONAL INFORMATION

Product Categories/Family for IgG secondary antibody	Immunology; Conjugated Secondary Antibodies
--	---

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com

Online datasheet: <https://stage.aaabiotech.com/goat-secondary-antibody/goat-anti-bird-igg-h-l-hrp/75514>