

Goat anti Monkey IgM (biotin) Secondary Antibody | IgM secondary antibody

Goat anti Monkey IgM (biotin)

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA75529	Goat	Monkey	Western Blot, Immunohistochemistry, ELISA

PRODUCT SYNONYMS

Goat anti Monkey IgM (biotin); Goat anti Monkey Immunoglobulin M secondary (biotin); IgM secondary antibody

PRODUCT SPECIFICATIONS


Host	Goat
Reactivity	Monkey
Specificity	Monkey IgM
Purity/Purification	Goat anti Monkey IgM (biotin) was purified by delipidation, selective precipitation and tandem molecular sieve chromatography followed by dialysis.
Form/Format	Lyophilized powder in 0.02M potassium phosphate, 0.15M sodium chloride, pH 7.2 with 10mg/ml BSA (immunoglobulin and Protease free) with 0.01% sodium azide as preservative. Reconstitute with 1.0ml of deionized water (or equivalent).
Concentration	1.0mg/ml (varies by lot)
Applicable Applications for IgM secondary antibody	WB (Western Blot), IHC (Immunohistochemistry), ELISA
Biohazard Information	This product contains sodium azide as preservative. Although the amount of sodium azide is very small appropriate care must be taken when handling this product.
Tag/Conjugate	Biotin
Immunogen	Monkey IgM mu heavy chain
Preparation and Storage	Store at 4 degree C. Ships ambient or refrigerated.

IMAGES

Product	Gt-a-Monkey IgG	Gt-a-Monkey IgA	Gt-a-Monkey IgM
Rhesus Serum	+	+	+
Baboon Serum	+	+	+
Cynomolgus Serum	+	+	+
Rhesus IgG	+		
Human IgA		+	
Human IgM			+

Application Data

This table displays additional reactivity among various species of serum and IgA (+) indicates antibody reactivity to the corresponding target.



WB (Western Blot)

Western Blot of Biotin conjugated Monkey IgM (mu chain) secondary antibody. Lane 1: Monkey IgM. Lane 2: None. Load: 50 ng per lane. None. Biotin Goat secondary antibody at 1:1,000 for 60 min at RT. Block: Blocking buffer for 30 min t RT. Size: 72 kDa, 72 kDa for Monkey IgM..

ADDITIONAL INFORMATION

Related Product Information for IgM secondary antibody	Goat anti Monkey IgM secondary antibody (biotin)
Product Categories/Family for IgM secondary antibody	Immunology; Conjugated Secondary Antibodies

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/goat-monkey-secondary-antibody/goat-anti-monkey-igm-biotin/75529>