

Phospho-TICAM2 Positive Control | TICAM2 positive control

Phospho-TICAM2 Positive Control

CATALOG # AAA75985	APPLICATIONS Western Blot
------------------------------	-------------------------------------

PRODUCT SYNONYMS

Phospho-TICAM2; Phospho-TICAM2 Positive Control; Putative NF-kappa-B-activating protein 502; TIR containing adapter molecule 2; TIR domain containing adaptor protein; TIRAP3; TIRP; Toll-like receptor adaptor protein 3; Toll/interleukin-1 receptor domain-containing protein; TRAM; TRIF-related adapter molecule antibody; TICAM2 positive control

PRODUCT SPECIFICATIONS

Form/Format	Prepared in SDS-sample buffer
Concentration	Empirically set for optimal signal-to-noise ratio (varies by lot)
Sequence Length	235
Applicable Applications for TICAM2 positive control	WB (Western Blot)
Immunogen	Purified Protein
Preparation and Storage	Store at -20° degree C for long term storage

ADDITIONAL INFORMATION

Related Product Information for TICAM2 positive control	Western Blot Positive Control Phosphorylated TRIF-related adapter molecule Antibody Functions as sorting adapter in LPS-TLR4 signaling to regulate the MYD88-independent pathway during the innate immune response to LPS. Physically bridges TLR4 and TICAM1 and functionally transmits LPS-TLR4 signal to TICAM1; signaling is proposed to occur in early endosomes after endocytosis of TLR4.
---	---

NCBI AND UNIPROT INFORMATION

NCBI GI #	29470173
NCBI GeneID	353376
UniProt Accession #	Q86XR7; Q6JUT2; B3Y698
NCBI Official Full Name	TRIF-related adapter molecule
NCBI Official Synonym Full Names	toll like receptor adaptor molecule 2
NCBI Official Symbol	TICAM2
NCBI Official Synonym Symbols	TIRP; TRAM; TIRAP3; MyD88-4; TICAM-2
NCBI Protein Information	TIR domain-containing adapter molecule 2
UniProt Protein Name	TIR domain-containing adapter molecule 2
UniProt Gene Name	TICAM2
UniProt Synonym Gene Names	TIRAP3; TIRP; TRAM; TICAM-2; MyD88-4
UniProt Entry Name	TCAM2_HUMAN

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/positive-control/phospho-ticam2/75985>