

Goat Anti-Mouse IgM+IgG+IgA(H+L) Secondary Antibody

Goat Anti-Mouse Ig, Human ads-BGAL

CATALOG #	HOST	REACTIVITY	APPLICATIONS
AAA78762	Goat	Mouse	Immunocytochemistry, Immunofluorescence, Immunohistochemistry, Immunoblot, Western Blot, ELISA


PRODUCT SYNONYMS

Goat Anti-Mouse IgM+IgG+IgA(H+L); Polyclonal Secondary Antibody; Goat Anti-Mouse Ig; Human ads-BGAL; Human ads - B-Galactosidase-Labeled; Goat Anti-Mouse IgM+IgG+IgA(H+L) secondary antibody

PRODUCT SPECIFICATIONS

Host	Goat
Reactivity	Mouse
Clonality	Polyclonal
Isotype	IgG
Specificity	Reacts with the heavy and light chains of mouse IgM, IgG1, IgG2a, IgG2b, IgG3 and IgA as demonstrated by ELISA and flow cytometry. Minimal cross reactivity with human immunoglobulins.
Purity/Purification	Affinity chromatography on pooled mouse IgM+IgG+IgA covalently linked to agarose.
Form/Format	beta - galactosidase (BGAL) Conjugate
Applicable Applications for Goat Anti-Mouse IgM+IgG+IgA(H+L) secondary antibody	IS (Immunostaining), IB (Immunoblot), ELISA
Source	Pooled antisera from goats hyperimmunized with mouse IgM, IgG and IgA paraproteins.
Cross Absorption	Pooled human sera and purified human paraproteins.
Characterization	To insure lot-to-lot consistency, each batch of product is tested by ELISA, Fluorescent ELISA, and/or flow cytometry to conform to characteristics of a standard reference reagent. Representative data are included in this product insert
Preparation and Storage	The purified (UNLB) antibody is supplied as 2.0 mg purified immunoglobulin in 2.0 mL of 100 mM borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added. Store at 2- 8 degree C. The fluorescein (FITC), rhodamine (TRITC), and Texas Red (TXRD) conjugates are supplied as 1.0 mg in 1.0 mL PBS/NaN3. Store at 2-8 degree C. The alkaline phosphatase (AP) conjugate is supplied as 1.0 mL of stock solution in 50mM Tris/1mM MgCl2/50% Glycerol, pH 8.0, containing 0.1% NaN3 as preservative. Store at 2-8 degree C or long-term at - 20 degree C. The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL of stock solution in 50% glycerol/50% PBS, pH 7.4. No preservative added. Store at 2-8 degree C or long-term at -20 degree C. The beta -galactosidase (BGAL) conjugate is supplied as 1.0 mL of stock solution in 50% glycerol/50% PBS/NaN3 as preservative. Store at 2-8 degree C or long-term at -20 degree C. The biotin (BIOT) conjugate is supplied as 1.0 mg in 2.0 mL PBS/NaN3. Store at 2-8 degree C. The R-phycoerythrin (R-PE) conjugate is supplied as 0.5 mg in 1.0 mL or 0.25 mg in 0.5 mL of PBS/NaN3 and a stabilizing agent. Store at 2-8 degree C. Do not freeze! Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

IMAGES



IF (Immunofluorescence)

ADDITIONAL INFORMATION

Product Categories/Family for Goat Anti-Mouse IgM+IgG+IgA(H+L) secondary antibody	Goat Anti-Mouse IgM+IgG+IgA (H+L)
---	-----------------------------------

For Research Use Only. Not for use in diagnostic or therapeutic procedures. Small volumes of product may become entrapped in the seal of the vial during shipment and storage; if necessary, briefly centrifuge the vial on a tabletop centrifuge to dislodge any liquid in the cap.

AAA Biotech | Tel: +1 (619) 604-9440 | Fax: +1 (619) 604-9441 | contact@aaabiotech.com
Online datasheet: <https://stage.aaabiotech.com/polyclonal/goat-anti-mouse-igmiggigahl-secondary-antibody-immunostaining-immunoblot-elisa/78762>